



ANALYSIS REPORT

Client:	EnviroFert Limited	Lab No:	1731348	CPV1
Contact:	EnviroFert Limited PO Box 12 Tuakau 2342	Date Received:	28-Feb-2017	
		Date Reported:	09-Mar-2017	
		Quote No:	61824	
		Order No:		
		Client Reference:	Finished Product Compost	
		Submitted By:	Elenka Nikoloff	

Sample Type: COMPOST, General

Sample Name:	Finished Compost 22-Feb-2017	Guideline NZS 4454:2005*	BioGro Std 2009 Appendix A**
Lab Number:	1731348.1		
Total Analysis Results - Dry Weight Basis			
Organic Matter	%	40.2	Greater than 25
Total Carbon	%	23.3	-
Total Nitrogen	%	1.58	Greater than 0.6 (if a contribution to plant nutrition is claimed)
C/N Ratio		14.8	-
Dry Matter	%	50.2	-
'Total' Phosphorus	mg/kg	3,170	-
'Total' Phosphorus	%	0.32	Greater than 0.1 (if a contribution to plant nutrition is claimed)
'Total' Sulphur	mg/kg	8,300	-
'Total' Sulphur	%	0.83	-
'Total' Potassium	mg/kg	9,820	-
'Total' Potassium	%	0.98	-
'Total' Calcium	mg/kg	36,500	-
'Total' Calcium	%	3.65	-
'Total' Magnesium	mg/kg	5,380	-
'Total' Magnesium	%	0.54	-
'Total' Sodium	mg/kg	1,763	-
'Total' Sodium	%	0.18	-
'Total' Iron	mg/kg	14,400	-
'Total' Manganese	mg/kg	560	-
'Total' Zinc	mg/kg	200	Less than 600
'Total' Copper	mg/kg	46	Less than 300
'Total' Boron	mg/kg	34	Less than 200
'Total' Chromium	mg/kg	30	Less than 600
'Total' Arsenic	mg/kg	15.3	Less than 20
'Total' Lead	mg/kg	46	Less than 250
'Total' Nickel	mg/kg	16.0	Less than 60
'Total' Mercury	mg/kg	< 0.12	Less than 2
'Total' Cadmium	mg/kg	0.34	Less than 3

* New Zealand Standard Composts, Soil Conditioners and Mulches: NZS 4454:2005, Table 3.1. Test results apply to the sample(s) submitted for analysis and do not necessarily imply that the product meets all the requirements of the standard. Note that the laboratory methods used for these test results may differ slightly to those referred to in the standard.

** Bio-Gro NZ Organic Standards 2009, Appendix A, Table A3: Limits for Heavy Metals in Soils and Composts: BioGro Standard for compost - ingredients other than household waste. Other limits apply for compost with ingredients including household waste.

Analyst's Comments

Sample 1 Comment:

Note 1: Reporting Units.

% = g/100g = g analyte/100g compost (dry weight basis)

mg/kg = ppm = mg analyte/kg compost (dry weight basis)

Electrical Conductivity units mS/cm = dS/m

Note 2: % x 10 = kg/T

Note 3: To calculate results to a fresh weight basis:

Result (dry matter basis) x (Dry Matter % / 100) = Result (fresh weight basis)

Sample 1 Comment:

Organic Matter Note: The relationship between carbon and organic matter varies according to organic matter type and soil type if soil is present in the product. Commonly used conversion factors range from 1.65 to 2.2 (Ref: NZS 445:2005). A Loss on Ignition (LOI) test may be requested if a more accurate organic matter value is required.

SUMMARY OF METHODS

The following table(s) gives a brief description of the methods used to conduct the analyses for this job. The detection limits given below are those attainable in a relatively clean matrix. Detection limits may be higher for individual samples should insufficient sample be available, or if the matrix requires that dilutions be performed during analysis.

Sample Type: COMPOST, General

Test	Method Description	Default Detection Limit	Sample No
Sample Registration	Samples were registered according to instructions received.	-	1
Media & Compost Prep (Dry & Grind)	Oven dried at 105°C for 24 hours and ground to pass through a 2.0mm screen.	-	1
'Total' Sulphur	Nitric/hydrochloric digestion (based on US EPA 200.2) followed by ICP-OES. (Total recoverable nutrients reported on a dry weight basis) The levels from this method are referred to as 'Totals' in quotation marks, as they will be a slight under-estimation of the true Totals for some elements.	45 mg/kg	1
'Total' Sulphur	Calculated from 'Total' Sulphur result for mg/kg (reported on a dry weight basis).	0.01 %	1
Total Carbon	Sample dried and ground and analysed by Dumas combustion. Results expressed on a dry weight basis.	0.2 %	1
Total Nitrogen	Sample dried and ground and analysed by Dumas combustion. Results expressed on a dry weight basis.	0.04 %	1
Organic Matter	Dumas combustion. Organic Matter is 1.72 x Total Carbon.	0.2 %	1
Dry Matter	Weight loss on drying at 105°C for 24 hours. Analysed at Hill Laboratories - 25 Te Aroha Street, Hamilton.	0.5 %	1
'Total' Phosphorus	Calculated from 'Total' Phosphorus result for mg/kg (reported on a dry weight basis).	0.01 %	1
'Total' Phosphorus	Nitric/hydrochloric digestion (based on US EPA 200.2) followed by ICP-OES. (Total recoverable nutrients reported on a dry weight basis) The levels from this method are referred to as 'Totals' in quotation marks, as they will be a slight under-estimation of the true Totals for some elements.	65 mg/kg	1
'Total' Potassium	Calculated from 'Total' Potassium result for mg/kg (reported on a dry weight basis).	0.01 %	1
'Total' Potassium	Nitric/hydrochloric digestion (based on US EPA 200.2) followed by ICP-OES. (Total recoverable nutrients reported on a dry weight basis) The levels from this method are referred to as 'Totals' in quotation marks, as they will be a slight under-estimation of the true Totals for some elements.	70 mg/kg	1
'Total' Calcium	Calculated from 'Total' Calcium result for mg/kg (reported on a dry weight basis).	0.01 %	1
'Total' Calcium	Nitric/hydrochloric digestion (based on US EPA 200.2) followed by ICP-OES. (Total recoverable nutrients reported on a dry weight basis) The levels from this method are referred to as 'Totals' in quotation marks, as they will be a slight under-estimation of the true Totals for some elements.	100 mg/kg	1
'Total' Magnesium	Calculated from 'Total' Magnesium result for mg/kg (reported on a dry weight basis).	0.01 %	1
'Total' Magnesium	Nitric/hydrochloric digestion (based on US EPA 200.2) followed by ICP-OES. (Total recoverable nutrients reported on a dry weight basis) The levels from this method are referred to as 'Totals' in quotation marks, as they will be a slight under-estimation of the true Totals for some elements.	40 mg/kg	1

Sample Type: COMPOST, General			
Test	Method Description	Default Detection Limit	Sample No
'Total' Sodium	Calculated from 'Total' Sodium result for mg/kg (reported on a dry weight basis).	0.01 %	1
'Total' Sodium	Nitric/hydrochloric digestion (based on US EPA 200.2) followed by ICP-OES. (Total recoverable nutrients reported on a dry weight basis) The levels from this method are referred to as 'Totals' in quotation marks, as they will be a slight under-estimation of the true Totals for some elements.	20 mg/kg	1
'Total' Iron	Nitric/hydrochloric digestion (based on US EPA 200.2) followed by ICP-OES. (Total recoverable nutrients reported on a dry weight basis) The levels from this method are referred to as 'Totals' in quotation marks, as they will be a slight under-estimation of the true Totals for some elements.	40 mg/kg	1
'Total' Manganese	Nitric/hydrochloric digestion (based on US EPA 200.2) followed by ICP-OES. (Total recoverable nutrients reported on a dry weight basis) The levels from this method are referred to as 'Totals' in quotation marks, as they will be a slight under-estimation of the true Totals for some elements.	3 mg/kg	1
'Total' Zinc	Nitric/hydrochloric digestion (based on US EPA 200.2) followed by ICP-OES. (Total recoverable nutrients reported on a dry weight basis) The levels from this method are referred to as 'Totals' in quotation marks, as they will be a slight under-estimation of the true Totals for some elements.	4 mg/kg	1
'Total' Copper	Nitric/hydrochloric digestion (based on US EPA 200.2) followed by ICP-OES. (Total recoverable nutrients reported on a dry weight basis) The levels from this method are referred to as 'Totals' in quotation marks, as they will be a slight under-estimation of the true Totals for some elements.	4 mg/kg	1
'Total' Boron	Nitric/hydrochloric digestion (based on US EPA 200.2) followed by ICP-OES. (Total recoverable nutrients reported on a dry weight basis) The levels from this method are referred to as 'Totals' in quotation marks, as they will be a slight under-estimation of the true Totals for some elements.	6 mg/kg	1
'Total' Chromium	Nitric/hydrochloric digestion (based on US EPA 200.2) followed by ICP-MS. (Total recoverable nutrients reported on a dry weight basis) The levels from this method are referred to as 'Totals' in quotation marks, as they will be a slight under-estimation of the true Totals for some elements.	0.2 mg/kg	1
'Total' Arsenic	Nitric/hydrochloric digestion (based on US EPA 200.2) followed by ICP-MS. (Total recoverable nutrients reported on a dry weight basis) The levels from this method are referred to as 'Totals' in quotation marks, as they will be a slight under-estimation of the true Totals for some elements.	0.2 mg/kg	1
'Total' Lead	Nitric/hydrochloric digestion (based on US EPA 200.2) followed by ICP-MS. (Total recoverable nutrients reported on a dry weight basis) The levels from this method are referred to as 'Totals' in quotation marks, as they will be a slight under-estimation of the true Totals for some elements.	0.04 mg/kg	1
'Total' Nickel	Nitric/hydrochloric digestion (based on US EPA 200.2) followed by ICP-MS. (Total recoverable nutrients reported on a dry weight basis) The levels from this method are referred to as 'Totals' in quotation marks, as they will be a slight under-estimation of the true Totals for some elements.	0.2 mg/kg	1
'Total' Mercury	Nitric/hydrochloric digestion (based on US EPA 200.2) followed by ICP-MS. (Total recoverable nutrients reported on a dry weight basis) The levels from this method are referred to as 'Totals' in quotation marks, as they will be a slight under-estimation of the true Totals for some elements.	0.10 mg/kg	1
'Total' Cadmium	Nitric/hydrochloric digestion (based on US EPA 200.2) followed by ICP-MS. (Total recoverable nutrients reported on a dry weight basis) The levels from this method are referred to as 'Totals' in quotation marks, as they will be a slight under-estimation of the true Totals for some elements.	0.02 mg/kg	1

These samples were collected by yourselves (or your agent) and analysed as received at the laboratory.

Samples are held at the laboratory after reporting for a length of time depending on the preservation used and the stability of the analytes being tested. Once the storage period is completed the samples are discarded unless otherwise advised by the client.

This report must not be reproduced, except in full, without the written consent of the signatory.



Shelley Edhouse
Quality Assurance Coordinator - Agriculture